	Approved For Release 2004/07/07 : QIA-RDP78T04743A000100030004-7	25X1
= 100		25X1
	27 May 1963	
	March 19 Copy 7.	
	한 취임 이렇게 요. 바쁜 기술을 하는 것도 하는 것이 되었다. 그 사람들이 함께 보고 말했는데,	
	MEMORANIUM FOR: Chief, Atomic/Biological/Chemical Division, OSI	
	APPRICA:	25X1
	FROM: Chief, CIA/PID(NFIG)	
	SUBJECT: Photographic Analysis of Cairo Army Barracks and Echools Abbasiyah and Cairo Army Barracks	
	Cump Buckstop	
	REFERENCES: Requirement No. CHI/R-128/63	
	CIA Project No. C 474-63	
	1. The UAR Army Hendquarters at Abbasiyah on the northeast side	
25.71	of Cairo has been studied on thotography dating from	25X1
25X1	were observed in this area, but a large build-up of Soviet-type	a di
	squad tents was observed here in late 1959.	· 特代 · ·
	2. Cairo Army Berryada and Fuckatap, and related installations, which are located in new feel making (nn) northeast of the center of	
	Cairo, showed some signification of accuracy decime this 1956-62 veried (see	
	Figure 1). A munitions plant on the west side of them Euchstep showed to and expansion of 50% in the particulate between	# The selection of
25X1	(see Figure 2), which included new sweduction buildings and four	25X1
20/1	heavily revetted and dispersed atorego bushams. We am once storego	
	area secured by a fonce and numerous guard traces a large number of a	
	cylindrical drugs were observed. These drugs, supromise toly 100 in	
a EVA	mumber, appeared here in the verted between 1950 and 1960. There were	100
25X1 25X1	drums suit analler drums of a standard of gallon size, as of setting of a standard of gallon size, as of setting of a standard of gallon size, as of setting of a standard of gallon size, as of setting of a standard of gallon size, as of setting of a standard of gallon size, as of setting of gallon size, a	· Sale
29/1	of the drams had been removed, probably to the cover of buildings.	
	3. Three grids (see Figure) are also visible at Comp Enchatep,	
	two of high resemble the sould convertential grids observed at the	1
25X1	The third is a first state of the same of	4
	lerge gold showing blackened arome and it is possible that this is a gold to test flams and napalm, which the UM is known to have experimented	1
	with. These grids were all proment on photos of	25/4
	earliest photography of the area which is evailable.	25X1
	그리고 그는 영화 전투를 전혀를 가고 있는 것이 되는 것이 그리고 그를 모르는 이번 때문에 불어보는 것	
	TOP SECRET	25X1
		25X1
	다는 현실 시장에 발표되었다. 전혀 보고 있다면 하는 사람들이 되었다. 그 그 그 사람들이 보고 있는 것이 되었다. 그 사람들이 되었다. 그 사람들이 되었다. ####################################	ZU/\ 1

Approved For Release 2004/07/07 : CIA-RDP78T04743A000100030004-7 Declass Review by NGA

		1
	4. There are indications of a strong Soviet military presence	
(1)	at the first factor to the first to the firs	
	Soviet-type squad tents and in Soviet-type weapons and vehicle	
	emplacements in the training areas around the camp (see Figure 2). Two Soviet-type small arms ranges also appeared here in the period	
	between 1958 and 1960.	· 1
		4. 4.
	5. Most significant, however, is the construction of a vast	
	deput, waited any on for examinition storage, on the cast olds to	
	egath uncreased in the Delivery between	
	This depot extends over an area of 2.5 by 1.5 na and if it is an	-
	armunition depot it is now the largest emmunition storage depot	
	in the Cairo area. Large scale coverage of this depot was taken	
(1:	construction. The installation is unacual in that it is without	
	visible security, it is without blass protection and it has an	
	excellent high standard road system with extremelylong turning radii.	
	Although such of the installation is widely dispersed there are	
	many closely expend but let a study clepered there are	5
	many closely speced building groups. Empy of the building groups show pipelines leading to underground tanks. With each building	
	mire programme intuing to undergoomed tonks. With such hardring	
	AND THE PARTY AND ASSESSMENT OF THE PARTY OF	
	GAVAP BIT BELLL: CUDICAL DIRLAMENT TO COMPILE STORE ADDRESS TO ADD	
	the only feature recognizable as examition storage.	i A
	the only feature recognizable as examition storage.	i. A
	the only feature recognizable as examiltion storage. 6. The photo engine or this project is	
	the only feature recognizable as examition storage. 6. The photo enalyst on this project is He may be contacted on extension when the project is	
	the only feature recognizable as examition storage. 6. The photo analyst on this project is He may be contacted on extension should you have further questions regarding this requirement.	A
	the only feature recognizable as examition storage. 6. The photo enalyst on this project is He may be contacted on extension should you have further questions regarding this requirement.	
	the only feature recognizable as examition storage. 6. The photo enalyst on this project is He may be contacted on extension should you have further questions regarding this requirement.	
	the only feature recognizable as examition storage. 6. The photo analyst on this project is He may be contacted on extension should you have further questions regarding this requirement.	
	the only feature recognizable as examition storage. 6. The photo enalyst on this project is He may be contacted on extension should you have further questions regarding this requirement.	
	the only feature recognizable as examition storage. 6. The photo enalyst on this project is He may be contacted on extension should you have further questions regarding this requirement.	
	the only feature recognizable as examition storage. 6. The photo enalyst on this project is He may be contacted on extension should you have further questions regarding this requirement.	
	the only feature recognizable as examition storage. 6. The photo enalyst on this project is He may be contacted on extension should you have further questions regarding this requirement.	
	the only feature recognizable as examition storage. 6. The photo enalyst on this project is He may be contacted on extension should you have further questions regarding this requirement.	
	the only feature recognizable as examition storage. 6. The photo enalyst on this project is He may be contacted on extension should you have further questions regarding this requirement.	
	the only feature recognizable as examition storage. 6. The photo enalyst on this project is He may be contacted on extension should you have further questions regarding this requirement.	
	the only feature recognizable as examition storage. 6. The photo enalyst on this project is He may be contacted on extension thould you have further questions regarding this requirement. 7. This reservandes and cuts changes amover the referenced requirement and the project is considered complete.	
	the only feature recognizable as examiltion storage. 6. The photo enalyst on this project is He may be contacted on extension whould you have further questions regarding this requirement. 7. This respectables and out character above; the referenced requirement and the project is considered complete. Attachments:	
	the only feature recognizable as examition storage. 6. The photo enalyst on this project is He may be contacted on extension thould you have further questions regarding this requirement. 7. This reservandes and cuts changes amover the referenced requirement and the project is considered complete.	
	the only feature recognizable as examiltion storage. 6. The photo enalyst on this project is He may be contacted on extension whould you have further questions regarding this requirement. 7. This respectables and out character above; the referenced requirement and the project is considered complete. Attachments:	
	the only feature recognizable as examiltion storage. 6. The photo enalyst on this project is He may be contacted on extension whould you have further questions regarding this requirement. 7. This respectables and out character above; the referenced requirement and the project is considered complete. Attachments:	《《《《·································
	the only feature recognizable as examiltion storage. 6. The photo enalyst on this project is He may be contacted on extension whould you have further questions regarding this requirement. 7. This respectables and out character above; the referenced requirement and the project is considered complete. Attachments:	
	the only feature recognizable as examiltion storage. 6. The photo enalyst on this project is He may be contacted on extension whould you have further questions regarding this requirement. 7. This respectables and out character above; the referenced requirement and the project is considered complete. Attachments:	
	the only feature recognizable as examiltion storage. 6. The photo enalyst on this project is He may be contacted on extension whould you have further questions regarding this requirement. 7. This respectables and out character above; the referenced requirement and the project is considered complete. Attachments:	《《《《《································
	the only feature recognizable as examiltion storage. 6. The photo enalyst on this project is He may be contacted on extension whould you have further questions regarding this requirement. 7. This respectables and out character above; the referenced requirement and the project is considered complete. Attachments:	《《《《《································
	the only feature recognizable as examiltion storage. 6. The photo enalyst on this project is He may be contacted on extension whould you have further questions regarding this requirement. 7. This respectables and out character above; the referenced requirement and the project is considered complete. Attachments:	

Approved For Release 2004/07/07: CIA-RDP78T04743A000100030004-7

5X1

5X1

5X1 25X1



